







Exclusive to Mastic Home Exteriors, our high-tech aluminum alloy is stronger and more rigid than the competition's best metal — plus a double-coating of our proprietary Alumalure® 2000 finish delivers an exceptionally durable, smooth surface. This revolutionary finish holds its color and resists the toughest corrosive elements — even UV radiation and polluted air. Performance Metals®. The superior quality, features and performance you've come to expect from Mastic Home Exteriors aluminum products.

## An industry leader in quality and performance.

Thanks to more than 30 years of extensive testing — and our proprietary Alumalure® 2000 finish our Performance Metals® Rain Removal systems remain the premier gutter and leaf protection products in the industry. Yesterday, today and tomorrow — Performance Metals Rain Removal systems boast the same superior quality, features, benefits and performance you've come to expect from Mastic Home Exteriors aluminum products.



#### THE PREMIER PRODUCT IN THE INDUSTRY -THANKS TO EXTENSIVE TESTING AND ALUMALURE® 2000

During product development, Performance Metals products are subjected to a battery of relentless testing, including corrosion baths and accelerated UV weathering, to ensure that we retain our position as the premier product in the industry. Rest assured, all Performance Metals products possess stellar tensile strength, durability and weathering characteristics.

#### SUN EXPOSURE TEST




#### **ACCELERATED CORROSION TEST**



(TOP) SINGLE-COAT POLYESTER OVER METAL FROM A SCRAP-BASED MINI-MILL (BOTTOM) ALUMALURE® 2000 PANEL

#### ALUMALURE® 2000

This revolutionary finish holds its color and resists the toughest corrosive elements — even UV radiation and polluted air. Applied in a twocoat process, Alumalure® 2000 is a combination of rust-inhibiting primer and an ultra-tough, low-mar topcoat.



ALUMALURE® 2000 ALUMALURE® 2000

#### THE ISP™ DIFFERENCE — INTEGRATED STANDARDS OF PERFORMANCE

ISP™ is our comprehensive product development, testing, certification and quality control program. This stringent set of standards and conformance specs ensures products meet or exceed industry

standards and/or code approvals. In addition, we go the extra mile with a battery of internal tests designed to predict and scrutinize performance attributes such as tensile strength, rigidity, wind resistance, color fidelity and weatherability.



THIS PRODUCT HAS BEEN GREEN CERTIFIED BY THE NAHB RESEARCH CENTER. This means you can be assured that this product complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com

# THE EXTERIOR SOLUTION FOR COlor.

The possibilities are endless. The beauty is timeless.

BLACK	DARK BRONZE	MUSKET BROWN	ROYAL BROWN
LONDON BROWN	EVERGREEN	RUSSET RED	RUGGED CANYON
CHARCOAL GREY	TERRA BRONZE	DESIGNED EXTERIOR STUDIO	MONTANA SUEDE
JEFFERSON TAN	HARBOR GREY	Explore the possibilities.	EVEREST
SCOTTISH THISTLE	PEBBLESTONE CLAY	With our visualizer tool, you can apply different combinations of colors and products to see	VICTORIAN GREY
TUSCAN OLIVE	WICKER	how they look. Bring your vision to life at mastic.com/getstarted.	SANDTONE
DESERT SAND	ALMOND	CLASSIC CREAM	LINEN
*All colors are solid. See Product Spec Guide for av	30° WHITE (MEDIUM GLOSS)	80° WHITE (HIGH GLOSS)	

# **MASTIC HOME EXTERIORS** PERFORMANCE METALS® SECTIONAL 6" GUTTER

### PERFORMANCE METALS: THE HIGHEST-QUALITY MAXIMIZE THE CAPACITY -ALUMINUM — MEETS OR EXCEEDS Q801 STANDARDS MAXIMIZE THE PERFORMANCE Exclusive to Mastic Home Exteriors, our high-tech Ideal for withstanding the increased aluminum alloy is stronger and more rigid than the demands of commercial and larger home competition's best metal - plus, a double-coating of projects, Mastic's 6" gutter system offers our proprietary Alumalure® 2000 finish delivers an increased water capacity and increased exceptionally durable, smooth surface. performance. It is the perfect solution for **EXPANSION JOINTS** high rainfall and large surface areas. Engineered for normal expansion and contraction, which can be problematic in longer runs and hiproof installations — an advantage not available in "seamless" gutters. **ALUMALURE® 2000** This revolutionary finish holds its color and resists the toughest corrosive elements — even UV radiation and polluted air. Applied MALURE in a two-coat process, Alumalure® 2000 is a combination of rust-

SECTIONAL 6" OG GUTTER 21' - 0G21A6 37' - OG37A6



#### HANGERS ENGINEERED TO SUPPORT MORE WEIGHT THAN ORDINARY SPIKES

Keep the gutter system firmly in position so water won't leak into the home, providing optimum performance over time.

#### FREE-FLOATING HANGERS

Uniquely designed to allow gutters to slide as they expand and contract, eliminating stress on nails.



inhibiting primer and an ultra-tough, low-mar topcoat.



#### V.I.P. LIMITED LIFETIME WARRANTY

Premium guarantee of lasting quality and peace of mind backed by Mastic, a trusted industry leader for 50+ years (see warranty for complete details).



#### THE ISP™ DIFFERENCE -INTEGRATED STANDARDS OF PERFORMANCE

ISP™ is our comprehensive product development, testing, certification and quality control program. This stringent set of standards and conformance specs ensures products meet or exceed industry standards and/or code approvals. In addition, we go the extra mile with a battery of internal tests designed to predict and scrutinize performance attributes such as tensile strength, rigidity, wind resistance, color fidelity and weatherability.

### **MASTIC HOME EXTERIORS**

# PERFORMANCE METALS® GUTTER DOWNSPOUTS + ACCESSORIES FOR SECTIONAL 6" GUTTER



3" X 4"
RECTANGULAR
CORRUGATED
DOWNSPOUT
RT34



3" X 4" STYLE "A" RECTANGULAR ELBOW RTA74



3" X 4"
STYLE "B"
RECTANGULAR
ELBOW
RTB74



**6" INSIDE MITER** OG166



**6" OUTSIDE MITER** 0G176



**6" INSIDE BAY MITER**ISBAY6
COLOR: PAINTABLE WHITE



6" OUTSIDE BAY MITER OSBAY6 COLOR: PAINTABLE WHITE



**6" END CAPS** OG1565



**DOWNSPOUT CLIP** (FOR 3" X 4" DOWNSPOUT) RTA3



COMBINATION HANGER 0G1061 COLOR: MILL



STRAP HANGER OG1161 COLOR: MILL



ROOF APRON, RECTANGULAR RT312



FASCIA APRON, RECTANGULAR RT412



NEOPRENE EXPANSION JOINT 0G256 COLOR: MILL



3" X 4"
RECTANGULAR
EAVE TUBE
RT24F
COLOR: MILL



DOWNSPOUT ANCHOR CLIP WITH SCREW RT235 COLOR: MILL



1/8" BLIND PO RIVETS GR1W COLOR: WHITE



POP RIVETS

GR1



BAR HANGER 0G12R61 COLOR: MILL




ROOF HANGER OG1361 COLOR: MILL



6" LEAF RELIEF® GUTTER PROTECTION SYSTEM (RETRO-FIT) TP6300

COLOR: NONE



6" LEAF RELIEF®

**GUTTER** 

PROTECTION SYSTEM (RETRO-FIT) TP63ZIP COLOR: NONE FOR USE OVER 0G1061, 0G12R61, ZIP HANGERS



GUTTERSEAL GS50Z COLOR: MILL GSW50Z COLOR: WHITE



**6" OUTSIDE CORNERS** OC6220 COLOR: NONE USE: TP6300, SN62005



6" INSIDE CORNERS IC6220 COLOR: NONE USE: TP6300, SN62005

# **MASTIC HOME EXTERIORS** PERFORMANCE METALS® SECTIONAL 5" GUTTER

## STRONGEST SYSTEM AVAILABLE FOR PERFORMANCE METALS: THE HIGHEST-QUALITY RESIDENTIAL CONSTRUCTION **ALUMINUM - MEETS OR EXCEEDS Q801 STANDARDS** Protects homes by supporting up to 50 Exclusive to Mastic Home Exteriors, our high-tech pounds per lineal foot to handle more aluminum alloy is stronger and more rigid than the heavy rain, snow and other extreme competition's best metal - plus, a double-coating of **EXPANSION JOINTS** weather than any other gutter. our proprietary Alumalure® 2000 finish delivers an Engineered for normal expansion exceptionally durable, smooth surface. and contraction, which can be problematic in longer runs and hiproof installations — an advantage not available in "seamless" gutters.

#### **SECTIONAL 5"** OG GUTTER

16' - OG16A

21' - OG21A 26' - 0G26

33' - OG33A 37' - OG37A

#### HANGERS ENGINEERED TO SUPPORT MORE WEIGHT THAN ORDINARY SPIKES

Keep the gutter system firmly in position so water won't leak into the home, providing optimum performance over time.

#### FREE-FLOATING HANGERS

Uniquely designed to allow gutters to slide as they expand and contract, eliminating stress on nails.





#### **ALUMALURE® 2000**

This revolutionary finish holds its color and resists the toughest corrosive elements — even UV radiation and polluted air. Applied MALURE in a two-coat process, Alumalure® 2000 is a combination of rustinhibiting primer and an ultra-tough, low-mar topcoat.



#### V.I.P. LIMITED LIFETIME WARRANTY

Premium guarantee of lasting quality and peace of mind backed by Mastic, a trusted industry leader for 50+ years (see warranty for complete details).



#### THE ISP™ DIFFERENCE -INTEGRATED STANDARDS OF PERFORMANCE

ISP™ is our comprehensive product development, testing, certification and quality control program. This stringent set of standards and conformance specs ensures products meet or exceed industry standards and/or code approvals. In addition, we go the extra mile with a battery of internal tests designed to predict and scrutinize performance attributes such as tensile strength, rigidity, wind resistance, color fidelity and weatherability.

## **MASTIC HOME EXTERIORS**

# PERFORMANCE METALS° GUTTER DOWNSPOUTS + ACCESSORIES FOR SECTIONAL 5" GUTTER



2" X 3" STYLE "A" RECTANGULAR **ELBOW** 

45° - RTA4 60° - RTA6 COLOR: WHITE 75° - RTA7



2" X 3" STYLE "B" RECTANGULAR **ELBOW** 

60° - RTB6 COLOR: WHITE 75° - RTB7



3" X 4" STYLE "A" RECTANGULAR **ELBOW** 75° - RTA74



3" X 4" STYLE "B" RECTANGULAR ELBOW 75° - RTB74



2" X 3" RECTANGULAR CORRUGATED DOWNSPOUT RT2



RECTANGULAR CORRUGATED DOWNSPOUT RT34



5" INSIDE MITER 0G16



**5" OUTSIDE MITER** 0G17



5" INSIDE **BAY MITER** ISBAY5 COLOR: PAINTABLE WHITE



5" OUTSIDE **BAY MITER** OSBAY5

COLOR: PAINTABLE WHITE



5" END CAPS 0G155



NEOPRENE **EXPANSION JOINT** 

0G25 COLOR: MILL



**RECTANGULAR EAVE TUBE** ROT2X3 COLOR: MILL



RT241



RECTANGULAR **EAVE TUBE** COLOR: MILL



RT235



DOWNSPOUT ANCHOR CLIP WITH SCREW

RTA2 COLORS: WHITE, ALMOND, COLOR: MILL DESERT SAND, EVERGREEN,

MUSKET BROWN, PEBBLESTONE CLAY, SANDTONE, TERRA BRONZE, VICTORIAN GREY



DOWNSPOUT CLIP

#### DOWNSPOUT CLIP (FOR 2" X 3" DOWNSPOUT) (FOR 3" X 4" DOWNSPOUT)

RTA3 COLORS: WHITE. ALMOND, DESERT SAND, EVERGREEN, MUSKET BROWN, PEBBLESTONE CLAY, SANDTONE, TERRA BRONZE, VICTORIAN GREY



#### COMBINATION STRAP HANGER

0G141 COLOR: MILL



FASCIA APRON

#### **SNAP-IN HANGER** 0G13LR5

COLOR: MILL USES: LEAF RELIEF TP5300, ROOF APRON,



#### **SNUG-FIT HANGER** 0G91

COLOR: MILL



COMBINATION **HANGER** 



ROOF APRON. RECTANGULAR

RT312 COLORS: WHITE, ALMOND, DESERT SAND, EVERGREEN MUSKET BROWN, PFBBLESTONE CLAY. SANDTONE, TERRA BRONZE VICTORIAN GREY



STRAP HANGER OG111 COLOR: MILL



FASCIA APRON. RECTANGULAR

RT412 COLORS: WHITE, ALMOND, DESERT SAND, EVERGREEN, MUSKET BROWN, PEBBLESTONE CLAY. SANDTONE, TERRA BRONZE VICTORIAN GREY



0G12R1 COLOR: MILL



**BAR HANGER** 

**GUTTERSEAL** 

GS50Z

COLOR: MILL

COLOR: WHITE

GSW50Z



OG131



**ROOF HANGER** COLOR: MILL



POP RIVETS GR1W COLOR: WHITE



POP RIVETS



5" LEAF RELIEF® **GUTTER PROTECTION** SYSTEM

(RETRO-FIT) TP5300 COLOR: NONE



#### 5" OUTSIDE CORNERS

OC5220 COLOR: NONE USE: SN5200S, TP5300. TP5100P



#### 5" INSIDE CORNERS

IC5220 COLOR: NONE USE: TP5100P, SN52005. TP5300



SYSTEM (RETRO-FIT) TP5100P COLOR: NONE

## **MASTIC HOME EXTERIORS** PERFORMANCE METALS® GUTTER + DOWNSPOUT COIL

#### .032 GUTTER COIL



#### 5" GUTTER COIL ONE-SIDE FINISH COAT 16" CENTER ID

11-3/4" WIDE - GC1175032 11-7/8" WIDE - GC1187532 13" WIDE - GC1300032 DISTRIBUTOR MINIMUM: ONE SKID OF THREE COILS (ANY COLOR COMBINATION)

SHORT ROLLS 11-3/4" WIDE - SR1175032 11-7/8" WIDE — SR11875032 13" WIDE - SR1300032 MINIMUM: 1 COIL

#### 5" GUTTER COIL TWO-SIDE FINISH COAT 16" CENTER ID

11-3/4" WIDE - GC117532JO 11-7/8" WIDE - GC118732JO 13" WIDE - GC130032JO COLOR ON BACK IS 30° WHITE (JO) DISTRIBUTOR MINIMUM ORDER: ONE SKID OF THREE COILS (ANY COLOR COMBINATION)

SHORT ROLLS 11-3/4" WIDE - SR117532JO 11-7/8" WIDE - SR118732JO 13" WIDE - SR130032JO COLOR ON BACK IS 30° WHITE (JO) MINIMUM: 1 COIL



#### 6" GUTTER COIL **ONE-SIDE FINISH COAT**

16" CENTER ID

15" WIDE - GC1500032 DISTRIBLITOR MINIMUM: TWO COILS/SKID (ANY COLOR COMBINATION)

SHORT ROLLS 15" WIDE - SR1500032 MINIMUM: 1 COIL

#### **6" GUTTER COIL** TWO-SIDE FINISH COAT 16" CENTER ID

15" WIDE - GC150032JO DISTRIBUTOR MINIMUM ORDER-TWO COILS/SKID (ANY COLOR COMBINATION)

SHORT ROLLS 15" WIDE - SR150032JO COLOR ON BACK IS 30° WHITE (JO) MINIMUM: 1 COIL

#### .019 DOWNSPOUT COIL



#### 2" X 3" DOWNSPOUT COIL 16" CENTER ID

10-1/2" WIDE - DC10500 10-1/2" WIDE - DC105500 DISTRIBUTOR MINIMUM: TWO COILS/SKID (ANY COLOR COMBINATION)



#### 3" X 4" DOWNSPOUT COIL 16" CENTER ID

13-3/4" WIDE - DC13750 13-3/4" WIDE - DC1375500 DISTRIBUTOR MINIMUM: TWO COILS/SKID (ANY COLOR COMBINATION)

#### .027 GUTTER COIL



#### 5" GUTTER COIL ONE-SIDE FINISH COAT

16" CENTER ID

11-3/4" WIDE - GC11750 11-7/8" WIDE - GC11875 DISTRIBUTOR MINIMUM: ONE SKID OF THREE COILS (ANY COLOR COMBINATION)

SHORT ROLLS 11-3/4" WIDE — SRGC11750 11-7/8" WIDE - SRGC11875 MINIMUM: 1 COIL

#### 5" GUTTER COIL TWO-SIDE FINISH COAT 16" CENTER ID

11-3/4" WIDE - GC11750JO 11-7/8" WIDE - GC11875JO DISTRIBUTOR MINIMUM: ONE SKID OF THREE COILS (ANY COLOR COMBINATION)

SHORT ROLLS 11-3/4" WIDE - SR1175JO 11-7/8" WIDE - SR1187JO COLOR ON BACK IS 30° WHITE (JO) MINIMUM: 1 COIL



#### 6" GUTTER COIL ONE-SIDE FINISH COAT

16" CENTER ID

15" WIDE - GC15000 DISTRIBUTOR MINIMUM: ONE SKID OF THREE COILS (ANY COLOR COMBINATION)

SHORT ROLLS 15" WIDE - SRGC15000 MINIMUM: 1 COIL

#### 6" GUTTER COIL TWO-SIDE FINISH COAT 16" CENTER ID

15" WIDE - GC1500JO DISTRIBUTOR MINIMUM: ONE SKID OF THREE COILS (ANY COLOR COMBINATION)

SHORT ROLLS 15" WIDE - SR1500JO COLOR ON BACK IS 30° WHITE (JO) MINIMUM: 1 COIL



#### ALUMALURE® 2000

This revolutionary finish holds its color and resists the toughest corrosive elements - even UV radiation and polluted air. Applied in a two-coat process, Alumalure® 2000 is a combination of ALUMALURE rust-inhibiting primer and an ultra-tough, low-mar topcoat.



#### THE ISP™ DIFFERENCE — INTEGRATED STANDARDS OF PERFORMANCE

ISP™ is our comprehensive product development, testing, certification and quality control program. This stringent set of standards and conformance specs ensures products meet or exceed industry standards and/or code approvals. In addition, we go the extra mile with a battery of internal tests designed to predict and scrutinize performance attributes such as tensile strength, rigidity, wind resistance, color fidelity and weatherability.



20-YEAR WARRANTY

AVAILABLE IN STANDARD AND EXTENDED LEAD TIME COLORS See Product Spec Guide for complete details.

### **MASTIC HOME EXTERIORS**

# PERFORMANCE METALS® GUTTER + DOWNSPOUT COIL ACCESSORIES



2" X 3" DOWNSPOUT DS2X3 MINIMUM: ONE CARTON



2" X 3" ELBOW STYLE "A" F2X3A



2'' X 3'' ELBOW,  $30^{\circ}$ STYLE "A" E2X3A30 COLOR: PAINTABLE WHITE



2" X 3" ELBOW STYLE "B" F2X3B



WITH 1-1/2" OFFSET LEDGE152X3 COLOR: PAINTABLE WHITE COLOR: PAINTABLE WHITE MINIMUM: ONE CARTON



2" X 3" DOWNSPOUT 2" X 3" DOWNSPOUT WITH 3" OFFSET LEDGE302X3



DOWNSPOUT DS3X4



3" X 4" ELBOW STYLE "A" E3X4A



3" X 4" ELBOW, 30° STYLE "A" E3X4A30 COLOR: PAINTABLE WHITE



3" X 4" ELBOW STYLE "B" F3X4B



5" INSIDE STRIP MITER ISM5



5" OUTSIDE STRIP MITER OSM5



5" INSIDE **BOX MITER** IBM5



5" OUTSIDE **BOX MITER** OBM5



5" INSIDE **BAY MITER** ISBAY5



5" OUTSIDE **BAY MITER** OSBAY5



5" LEFT **END CAPS** EC5I



5" RIGHT **END CAPS** FC5R



6" INSIDE STRIP MITER ISM6



6" OUTSIDE STRIP MITER OSM6



6" INSIDE **BOX MITER** IBM6



**6" OUTSIDE BOX MITER** OBM6



6" INSIDE **BAY MITER** ISBAY6



6" OUTSIDE **BAY MITER** OSBAY6



6" LEFT **END CAPS** EC6L



6" RIGHT **END CAPS** EC6R



**DOWNSPOUT** PIP BAND -UNIVERSAL (FITS 2" X 3" OR 3" X 4" DOWNSPOUT) DPB



POP RIVETS



5" FERRULE — FE5 6" FERRULE - FE6

COLOR: MILL



**ALUMINUM 5"** HIDDEN HANGER AM5HID COLOR: MILL

**ALUMINUM 5"** 

ZIP HANGER

AM5ZIP500

COLOR: MILL



**ALUMINUM 6"** ZIP HANGER AM6ZIP COLOR: MILL



**OVAL OUTLET TUBES** 2" X 3" - OT2X3 3" X 4" - OT3X4 COLOR: MILL



RECTANGULAR **OUTLET TUBES** 2" X 3" - ROT2X3 3" X 4" - R0T3X4 COLOR: MILL



QUICK RELEASE QRC (ATTACHES EXTENSIONS TO ELBOW) 37211



GCTU1



**5" GUTTER WARRIOR** HANGING SYSTEM SN5200S COLOR: NONE

USE 0C5220, IC5220,

CORNERS



**5" GUTTER WARRIOR LT** HANGING SYSTEM SN5800 COLOR: WHITE USE 0C5220, IC5220,

CORNERS



**6" GUTTER WARRIOR** HANGING SYSTEM SN6200S COLOR: NONE USE 0C6220, IC6200

CORNERS



AVAILABLE IN STANDARD AND EXTENDED LEAD TIME COLORS

See Product Spec Guide for complete details.

## MASTIC HOME EXTERIORS. THIS IS THE EXTERIOR SOLUTION.



SIDING | PERFORMANCE METALS | RAIN REMOVAL | DESIGNER ACCENTS | DOOR SURROUNDS | SOFFIT + FASCIA | SHUTTERS



mastic.com • 800 962 6973

PLY GEM SIDING GROUP 2600 GRAND BLVD. SUITE 900 **KANSAS CITY, MO 64108** 



PLY GEM RESERVES THE RIGHT TO ALTER, MODIFY OR DELETE ITEMS FROM TIME TO TIME WITHOUT NOTICE. DUE TO PRINTING LIMITATIONS, COLORS MAY NOT BE EXACTLY AS SHOWN, CONTACT YOUR DISTRIBUTOR OR SALES REPRESENTATIVE FOR ACTUAL PRODUCT AND COLOR SAMPLES. MASTIC, MASTIC HOME EXTERIORS, THE MASTIC HOME EXTERIORS LOGO AND THE "MASTIC HOME EXTERIORS. THIS IS THE EXTERIOR SOLUTION." SLOGAN ARE TRADEMARKS OF MASTIC HOME EXTERIORS, INC. PLY GEM IS A TRADEMARK OF PLY GEM INDUSTRIES, INC. AND/OR ITS SUBSIDIARIES. ©2013 MASTIC HOME EXTERIORS. ALL PRODUCTS MADE IN THE U.S.A.

















TRIM